



Verishades® Technical Manual

Copyright © 2023 by Capitol Shutters Pty Ltd
4/17 Hickeys Lane, Penrith NSW 2750

All rights reserved. No part of this manual may be photocopied or reproduced in any form without written permission from the publisher. Moreover, no part of this publication can be stored in a retrieval system, transmitted by any means, or recorded or otherwise, without written permission from the publisher.

Pre-requisite Skills

This manual is written for an audience that is already familiar with blinds. You should know at the very least, the basic application and layouts of blinds, and possess the skills to conduct a site measure for quoting purposes.

Limits of Liability and Disclaimer of Warranty

While every precaution has been taken in preparing this manual, the Publisher and Author assume no responsibility for errors or omissions. No liability is assumed by either Publisher or Author for incorrect application of product resulting from the use of this information.

CONTENTS

Track Types.....	3
Specifications.....	3
Deductions.....	3
Stacking Configurations.....	4
Fabrics.....	5
Lead Times.....	5
Pricing and Cost Variations.....	6
How to Measure Verishades.....	6
Care & Maintenance.....	7
Warranty.....	8





TRACK TYPES


Standard Track	Motorised Track
 Track Colours: • White • White Birch • Black • Clear Anodised Wand Colours: • White • White Birch • Black • Clear Anodised Wand Sizes: • 750mm • 100mm • 1200mm (Extra cost) • 1500mm (Extra cost)	 Colours: • White Only Controls: • ALPHA Wired Motors Controllers: • 1 Channel Remote • 2 Channel Remote • 6 Channel Remote

SPECIFICATIONS

Minimum Width	300mm
Maximum Width	5800mm Standard Track 6000mm Motorised Track
Maximum Drop	3600mm
Maximum Area	21 square metres
Reveal Clearance	Need 90mm Clear Reveal
Full Depth	180mm (less when tilted) and 200mm when stacked
Face Clearance	No extra clearance with wall mount bracket (face)
Brackets	Wall Mount Bracket (Face) or Ceiling Bracket (Reveal)
Deduction Recommendations	• Reveal Fit: - 5mm width and - 10mm drop • Face Fit: - 0mm Width and - 15mm Drop

STACKING CONFIGURATIONS

Gap between track and fabric on the stack side when open. Exposed wand  LEFT STACK	 RIGHT STACK Gap between track and fabric on the stack side when open. Exposed wand
Wand either side, either will control tilt Exposed wands  CENTRE STACK	 CENTRE SPLIT Wands either side hidden behind centre folds to minimise gaps. Each controls individual stack. 20mm gap when open



FABRICS

Verishades® 'Walk Through' fabrics are made from 100% woven polyester that is UV stabilised and fade resistant. Low maintenance and easy to clean, there are no hems, no weights, no chains or cords, making it the most versatile and safe blind available. It's called The Clever Curtain for good reason.

Composition	100% Polyester 120mm Woven Fabric
Weight per g/m2	(Bonded & Mesh) 300 +/- 1%
Maximum width	5.8M
Colour Fastness	4-4.5
UPF	50+



STANDARD	White, Soft White, Beige, Ivory, Slate, Charcoal
CLASSIC	Onyx, Thunder, Sand, Snow, Pearl, Dusk, Ash
NET	White, Soft White, Beige, Ivory, Slate, Charcoal
ALPINE	White, Soft White, Beige, Light Grey, Slate, Charcoal
MIST	Pure White, Antique White, Fawn, Shell, Soft Grey, Dark Grey, Black
AUTUMN	White, Soft White, Beige, Light Grey, Slate, Charcoal
ECLIPSE	Cotton, Soft Grey, Hygge, Dark Grey, Iron, Night
LUXURY	Cotton, Lucent, Flax, Sable, Herringbone, Soft Grey, Strike Grey, Indigo

LEAD TIMES

We hold all colours of fabric categories and Standard Track in our Sydney workroom. This gives us the ability to turn orders around in 15 to 20 business days. If you require a track not listed, please contact us for pricing and lead time advice prior to ordering.

PRICING AND COST VARIATIONS

Unlike many suppliers who price blinds and curtains on a grid or table, we have made the process super simple for you. Each fabric range has a flat square metre price with a minimum two square metre charge, so you just need to calculate how many square metres your opening is and multiply that by the fabric price and add any optional extras you require.

INCLUDED IN SQUARE METRE COST:

- Fabric slats
- Wands less than 1000mm drop
- Standard Curved Tracks and all brackets

OPTIONS AT EXTRA COST:

- Wands greater than 1000mm drop
- Motorised track plus motor
- Remote controls
- Track types not listed – POA

HOW TO COST A VERISHADE®

1. Multiply width by height of your opening to calculate the total square metres.
2. Determine fabric category square metre price
3. Multiply category price by square metres of opening
If opening is less than 2 square metres then multiply price by 2
4. Add extra \$12 per wand if greater than 1 metre wand length is required
5. Add GST & Delivery if required

Tracks and Fabric slats can also be replaced or cut own.
Contact our office for these orders.


HOW TO MEASURE VERISHADES®

Orders are to be submitted as finish or make size only so you are required to make your own allowances for mounting. We recommend you take 5mm off the width and 10mm off the drop if you are mounting in the reveal. When installing on the face, we recommend you take nothing off the width but take 15mm off the drop.

MEASURING CORNERS

Verishades® cannot be bent to suit corner layouts so you'll need to install a 'Butt' and 'Thru' track.

When measuring, allow 105mm from your butt track to ensure you have sufficient clearance.



CARE AND MAINTENANCE

The fabric manufacturer advises the Verishades® fabric folds are soil resistant and can easily be taken down individually for a gentle hand wash if required. Regular dusting with a soft cloth will keep your fabric in great condition and the tracks in good working order. Never use harsh or abrasive cleaning products as you may damage the blind and impact the warranty.



WARRANTY

Capitol Shutters warrants Verishades® supplied by it hereunder to the dealer, to be free from defects in material or workmanship under normal and proper use, when installed and maintained correctly in residential dwellings, for a period of two years starting from the date of invoice to the original buyer. The warranty is ex-factory, restricted to supply only and is at the sole discretion of Capitol Shutters' management. Policy is subject to change without notice.

Capitol Shutters is not responsible for the removal, reinstallation nor shipping charges, labour or other associated costs with the reinstallation or removal of blinds and all liability for consequential or incidental damages from any cause whatsoever associated with the warranty service. Capitol guarantees to repair or replace at their sole discretion any parts or items deemed to be suffering from a defect. Fabric colours vary from batch to batch and may not exactly match sample swatch, sample book, or previous purchases. Discontinued components or colour selections will be replaced with a part or product of comparable quality and value.

This warranty does not apply:

- To normal wear and tear of moving parts and fraying of fabric over time
- To installation damage to the window(s) or premises
- If the blind is incorrectly measured and/or incorrectly ordered
- To the use of components not supplied by Capitol Shutters
- To any alterations made to the original blind as supplied
- If the blind has been incorrectly or insufficiently cleaned and maintained
- If the blindn has been opened, dismantled or returned with clear evidence of abuse, misuse or other damage, or tampered with in any manner whatsoever by a person other than an approved installation technician
- To marks or imperfections not visible to the naked eye in natural daylight from a distance of 1.2 metres
- To damages caused by exposure to any and all natural and manufactured excessive heat sources, such as magnification of sun light through glass cubes, heaters of any kind, ovens, candles, lighting fixtures, etc
- Variation in batch colour or texture to sample swatch
- To damage beyond the control of Capitol Shutters including but not limited to fire, flood, storm and natural disasters or Acts of God
- To curtains that have not been paid for in full and remain the property of Capitol Shutters.

Warranty claims must be submitted via email to orders@capitolshutters.com.au and approved by Capitol Shutters management. Photographic evidence must be attached to each claim. Multiple photos must show the entire curtain, a close up of the issue and the label showing the order number and item number. If damage has occurred due to transit, a photo must also be submitted of the damaged carton and packaging. Reworks are raised online by Capitol Shutters and delivery is expedited to the best of our ability, subject to shipping and freight availability.